

ADDENDUM NO 1 – RFP 26-21

These items should be quoted as well.

Specific Items for the Ambulatory Truck: Livestock Edition

- Portable ultrasound with rectal probe, battery powered, and ability to connect with goggles, phones, and tablets
 - Specifications:
 - Width (mm): 190 x 83 x 62
 - Weight: 850g
 - Dust and splash proof
 - Probe specifications: Broadband straight linear rectal. Active array length 64mm. 128 crystal array
 - Battery life (mins): 300
 - Battery or mains powered: 5.5h - only use IMV approved battery charger and DC power adapter
 - Battery life: Battery can be charged from DC power adapter or car 12v accessory socket
 - Viewing device: Smartphone / Tablet. Scanner wireless link to compatible viVie and Wireless head screen device
- Captive bolt and cartridges
 - Specifications:
 - Antibacterial compounded handle
 - Improved design for longer life
 - Automatic bolt return
 - Fast loading action
 - Robust construction
 - Reliable performance
 - Available in .25” caliber
 - Can be used with a wide range of cartridges for different animal sizes
 - Low maintenance costs
 - Proof tested in accordance with C.I.P. Compliant with European regulation EC 1099/2009
 - Supplied with cleaning tools & maintenance instruction
 - **Weight:** 7 lbs

- **Exit Length Min: 2.56"**
- Bull probe and pulsator
 - Product:
 - Complete Pulsator V Electronic Bull Ejaculator Unit with 2-Electrode 60mm Upright Probe
 - Specifications:
 - Pulsator V
 - 2 probe cords
 - One 2-electrode 60mm upright probe
 - Lithium-ion battery
 - Battery charger
 - Semen collection handle
 - Scrotal tape
 - 100 each disposable director cones and vials
 - Carrying case and user guide
 - 5-year warranty
- Point of care machine to perform blood work
 - Specifications:
 - I-Stat 1 Wireless
 - **Description:** Portable, handheld blood analyzer with capability to transmit test results wirelessly to ILS or EMR.
 - **Dimensions:** Width 7.68 cm (3.035 in.), Length 23.48 cm (9.245 in.), Depth 7.24 cm (2.85 in.)
 - **Weight:** With rechargeable battery 650 grams (22.9 oz.), with disposable battery 635 grams (22.4 oz.)
 - **Power:** Two 9-volt lithium batteries, or rechargeable battery.
 - **Calibration:** Factory-electronic, mechanical, thermal, pressure
 - **Display:** Dot matrix supertwist liquid crystal
 - **Communication Link:** Infrared light-emitting diode (LED)
 - **Operating Temperature:** 16-30°C (61-86°F) for i-STAT cartridge testing
 - **Transport Temperature:** -10-46°C (14-115°F)
 - **Laser Scanner:** Complies with U.S. 21 CFR 1040.10 and 1040.11 except for deviations pursuant to laser Notice No. 50, dated June 24, 2007. EN 60825-1:1994 + A1:2002 + A2:2001, IEC 60825-1:1993 + A1:1997 + A2:2001

- I-Stat Chem 8+ Cartridge (25 count)
 - DESCRIPTION: Fast evaluation of metabolic status and renal function
 - SAMPLE SIZE: 95µL
 - SAMPLE TYPE: Arterial and venous whole blood sample
- Portable Convex Ultrasound
 - Console Dimensions
 - Height
 - 70 mm (2.75 in) console only
 - 100 mm (3.94 in) with handle
 - Width
 - 295 mm (11.61 in) console only
 - 343 mm (13.50 in) with handle
 - Length
 - 346 mm (13.62 in) console only
 - 375mm (14.76 in) with handle
 - Weight with Battery
 - approximately 5.2 Kg (11.5 lbs)
 - Console Electrical Power
 - Voltage: 100-240 V AC
 - Frequency: 50/60 Hz
 - Power: Max. 130 VA
 - Console Design
 - Laptop Style
 - Lithium Ion Battery
 - Integrated Solid State Drive
 - CPU – Intel Duo Core
 - Operating System – Microsoft® Windows® 7
 - Docking Cart Dimensions
 - Height: 810-950 mm (26.6-31.2 in)
 - Width: 470 mm (15.4 in)
 - Depth: 617 mm (20.2 in)
 - Weight: 57 kg (125.7 lbs) without accessories
 - Weight: 64 kg (141.1 lbs) with Extended Life Battery
 - Isolation Cart Dimensions
 - Height: 830-1130 mm (32.7-44.5 in)
 - Width: 540 mm (21.3 in)

- Depth: 510 mm (20.1 in)
- Weight: 30.5 kg (67.1 lbs) without accessories
- Weight: 35.5 kg (78.3 lbs) with 3 Probe Port

Equine Vaccines

- Fluvac innovator EHV4/1
- West Nile Innovator
- Pinnacle I.N.-strangles
- Pneumabort-k+1b
- Calvenza-03 EIV/EHV
- IMRAB
- Potomavac
- Vetera GoldXP
- BotVax B

Livestock Vaccines

- Bovellis Covexin 8 (50 mls)
- Bar-Vac CD/T vaccine (50 mls)
- Vira Shield 6 + VL5 HB Cattle (10 dose